




T&E ENT.
AutoHaulers
CUSTOMER PHOTO GALLERY

Weslosky T&E Transport Trailer







CAUTION
SECURE ALL DOOR AND GATE LATCHES BEFORE MOVING TRAILER

DANGER
DO NOT STAND UNDER

WARNING
DO NOT STAND UNDER

CAUTION
DO NOT STAND UNDER









Custom Built Trailers by...

T & E ENT.
Auto Haulers

HERSCHER, IL.
815-426-2761







Custom Built Trailers, Inc.
T&E ENT.
Auto Haulers
HERSCHEY, PA
610-476-2700





Custom Built Trailers by...

T & E ENT.
AutoHaulers

HERSCHER, IL.
815-426-2761







STINGER

6000 LB. MAX. LOAD LIMIT

6000 LB. MAX. LOAD LIMIT

CAUTION LOWER



STINGER

6000 LB. MAX. LOAD LIMIT

6000 LB. MAX. LOAD LIMIT






8000 LB. MAX. LOAD LIMIT


WESTINGER

8000 LB. MAX. LOAD LIMIT









TRAILER
UP

EQUALIZER
SYSTEMS

TRAILER
DOWN

800.846.9659

www.equalizersystems.com







6000 LB. MAX.
LOAD LIMIT





STINGER



6000 LB. MAX.
LOAD LIMIT







ING INSTRUCTIONS
RE USING
ECT LIFT BEFORE
RATING
PERATE IF
EN DAMAGED

**6000 LB. MAX.
LOAD LIMIT**

CAUTION
LOWER
TO LOWER
HANDLE MUST BE P
IN YELLOW LOWER







**6000 LB. MAX.
LOAD LIMIT**











NEVER OPERATE IF
LIFT HAS BEEN DAMAGED









CAUTION
LOWER ZONE

WARNING
DO NOT OPERATE
WITH VEHICLE
ON LIFT

ESTINGER











A CAUTION
LOWER ZONE

DO NOT OPERATE WITH PERSONS UNDER

STINGER

X3
800-834-8839

WEIGH LOADS OF 1200 LBS (500 KG)







SUSPENSION DOWN
WHEEL BEARING

Progressive Dynamics, Inc.
INTEL-POWER
Recreational Vehicle Converter/Charger
With Built In **FLUX CAPACITOR**
Power Management System
Model PD62800
The best way to charge and maintain your vehicle's battery.
Progressive Dynamics, Inc.
www.progressivedynamics.com

NOCO
genius
BANK 1
BANK 2

100L
24
Amp
Snap-Top
Battery Box
UV
No. 00

SPARE TIRE



XMR RADIO ID
KT230MA

SONY









ATTIC

CEILING

LIFT









6000 LB. MAX.
LOAD LIMIT





STINGER



READ OPERATING INSTRUCTIONS
BEFORE USE
ALWAYS WEAR YOUR SEATBELT
PROHIBITED
WEIGH YOUR LOAD
BEFORE LIFTING

6000 LB. MAX.
LOAD LIMIT

















MANUFACTURED BY / FABRIQUE PAR: T&E Enterprises of DATE 10/2019
Herscher, Herscher IL
GVWR / PNBV 11758 KG (25920 LB)
GAWR (EACH AXLE) / PNB (CHAQUE ESSEU) 3266 KG (7200 LB) TIRES / PNEU 235/75R X 17.5 (J)
RIMS / JANTE 17.5 X 6.75 KPA (120 Max PSI/LPC) SINGLE DUAL
COLD INFL. PRESS. / PRESS. DE GONFL. A FROID 872
THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE (ENVOI AU DEPART)
THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. -CE VEHICULE EST
CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION. FD-300 PREV A
V.I.N. / N.I.X.: 1T9500S35L1230932 TYPE / TYPE: TRAILER TMA / REM